

Quotation Notice
(For Empaneled vendor with us)

CGB/CO/Infra /01/2026-27
Date – 04/04/2026

Dear Sir/ Madam,

Quotation for Supply of Security Items (Cash Safe / Safe deposit lockers/FRFC/Strong Room Door/Gold Safe, Compactor

We invite quotations from empaneled vendors with us for supply of Security Items (Cash Safe / Safe deposit lockers/FRFC/Strong Room Door/Gold Safe/ Compactor) for the branches located all over Chhattisgarh. The Terms & conditions and the specification & requirement of items are enclosed as different Annexure.

The Bids shall be placed in sealed envelopes super scribed as:

“Quotation for the supply of Security Items (Cash Safe / Safe deposit lockers/FRFC/Strong Room Door/Gold Safe/Compactor for “CHHATTISGARH GRAMIN BANK”

(Private & Confidential)

Should be submitted to the

**General Manager,
CHHATTISGARH GRAMIN BANK
Corporate Office
Plot No-47, Sector-24
Atal Nagar Nava Raipur (CG)- 492018**

Please arrange to submit your best offer with complete Details/Brochure by 15/04/2026 5:00 pm pm sharp. Quotations will be opened in front of representative of vendors on 18/04/2026 by 3.30 PM.

Yours Faithfully

General Manager (Administration)



To,

General Manager,
CHHATTISGARH GRAMIN BANK
Corporate Office
Plot No-47, Sector-24
Atal Nagar **Nava Raipur (CG)**- 492018

Sir,

**Quotation for Supply of Security Items (Cash Safe / Safe deposit lockers/FRFC/Strong
Room Door/Gold Safe, Compactor**

With reference to your letter CGB/CO/INFRA/ 01/2026-27 Dated 04/04/2026,

We submit necessary information herewith

1. Name & address of the Company:

(With direct phone numbers)

2. Name of Head/Chief of the company:

3. Email Address:

4. Income Tax PAN

5. GST Registration No.

DECLARATION

1. I/We hereby declare that the terms and conditions of the offer stated herein and as may be modified/mutually agreed upon are acceptable and binding to me/us.
2. We assure to comply with specifications. Items will be supplied original only, no duplicate or old/used/refurbished will be supplied.
3. We undertake to give a service commitment along with availability of spare parts for life time.
4. We undertake that all items will be supplied at respective sites branches of CGB and proper service will be provided by our authorized/qualified service personnel.



5. Complaints with regards to repairing will be solved within 48 hours of receipt of complaints from branches/offices. This lead time for making the faulty system operational will include travel time of service personnel.

For, -----

(Signature of authorized Signatory)

Name –

Designation –

Place –

Date

Company Stamp

Mobile No –

Email

List of Documents Attached –

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____



GENERAL TERMS AND CONDITIONS

1. No tenders shall be accepted after the stipulated date and time. Bank reserves the right to accept or reject the entire quotation, without assigning any reason thereof at any stage.
2. **OEM should have Valid BIS Testing Certificate and license of the products**, Necessary documents should be attached with offer.
3. Validity: Rates quoted shall be valid up to 12 months from 01/04/20026 to 31/03/2027. The Bank, however, reserves the right to call for fresh quotations at any time during the period if considered necessary or extend the current rate with consent of L-1 vendor.
4. Requirement shown in Annexures is indicative and may vary as discretion of CGB.
5. The "Financial Bid" should contain competitive prices for all items with Supply & Installation.
6. On total price must be inclusive of one year's onsite warranty support, onsite installation including all taxes and transportation to respective locations.
7. Project shall be completed within four weeks from date of purchase order. Any delay will be penalized @1% of the order value per week of delay or part thereof. Amount of penalty so calculated will be deducted at the time of making payment.
8. Product Brochures and technical literature should invariably be attached with technical bid.
9. The rates quoted once will be treated as final. No alteration either in rates or in term & conditions will be entertained. Bank can negotiate with L-1 vendor to get the better rates.
10. If, in the opinion of the Bank, L-1 vendor is not in a position to deliver the entire order quantity in the prescribed time frame the bank will be free to divide the order among L-1, L-2 and L- 3 vendors in a proportion, the bank considers necessary, subject to L-2/L-3 vendors matching L-1 prices. If other vendor also agrees to supply at L-1 rate, in that case more than 1 vendor can be empanelled/contracted by the Bank.
11. Bank has also the right to award rate contract to bidders who agree to supply of material in L-1 price; order will be placed as per requirement of the Bank in due course to any of the vendors.
12. The successful bidder(s) to whom the work is awarded will be under direct liaison of the representative of CGB and has to follow his instructions from time to time.
13. In case of any dispute, decision of CGB authority shall be final and abiding to the vendor.
14. Bank reserves the right to accept the offer of only one vendor in full or more than one vendor in part or reject any or all quotations, without assigning any reason therefore and irrespective of L1 criteria, at any stage.



15. The bidder(s) will not be permitted to assign or give sub contract of the work awarded to him without prior permission from CGB authority. The decision of CGB authorities in this regard shall be final and binding to the vendors/bidders.
16. The vendor(s) must meet necessary statutory and legal compliances. CGB will not be responsible for any legal action arising out of non-compliance to statutory & other similar legal compliances.
17. No attempt shall be made by the vendor(s) or their staff deputed at CGB to unlawfully reveal, misuse or encroach upon the intellectual or private data/information to which they have access.
18. Any loss or damage caused to the CGB property by the personnel deputed by the vendor will be recovered from payment of bill to the vendor and the decision of CGB authority in this matter will be treated as final and abiding to the vendor.
19. Bank may change the procurement process in case through GEM. The Bank reserves the right to procurement the goods through GEM portal as per Government of India procurement guidelines. The empaneled vendor/Bidders shall have no objection to procurement being carried out through GEM portal participation in this tender shall be deemed as acceptance of this condition .
- 20. Payment Terms:**
- a) No Advance Payment will be made for any Purchase Order released.
 - b) After satisfactory Supply and installation of material at respective sites of CGB and 90% of Invoice amount will be paid. Rest 10% will be paid on expiry of Warranty period of One year.
 - c) No payment, however, will become due in case of any short supply of equipment, delay in carrying out onsite installation.
 - d) TDS (If applicable) will be deducted as per Central Government norms.
 - e) In case of failure on the part of the vendors to provide warranty / sustain repair or maintenance work to the satisfaction of the Branch/Office, CGB authority reserves the right to forfeit 10% deposit amount kept as security deposit and any of the dues due to the vendor, terminate the contract with immediate effect and will be at liberty to get the work executed through a separate vendor at the risk and cost of the defaulting vendor.
 - f) Bills/Invoices should be detailed/annexed HSN Number and mentioning GST separately, although prices to be quoted inclusive of all taxes with breakup.
21. Damage during supply/shipment will not be accepted and payment will not be released. Supplier must replace the damage goods within 15 days.
22. All legal disputes between the parties shall be subject to the exclusive jurisdiction of the Courts situated at RAIPUR.

ACCEPTED THE ABOVE TERMS & CONDITIONS

(Signature of authorized Signatory)

Name –

Designation –

Place - Company Stamp



CASH AND GOLD SAFE TECHNICAL SPECIFICATION

Sl. No.	ITEM	SPECIFICATION	Compliance Yes / No	Mention Make & Model
1	49" Safe Class B	1. BB class (TRTL 10*5)-safe having torch and tool resisting capacity on all six sides for 10 min each 270 Ltr (49"). 2. Weight – 1200-1400 kgs (BIS Declared weight) Weight tolerance Maximum +10 % & -5% 3. Specification of Cash Safe- BIS Marked IS-550:Part-1:2022 with IS-17566 4. Safe should have automatic relocking device behind both the locks. 5. Safe must with 3 Self and 2 Drawers. 6. Multi-directional heavy locking bolts. 7. Painted inside/outside, 70" coating, grey colour.		
2	49" Safe Class BB	1. BB class (TRTL 15*6)-safe having torch and tool resisting capacity on all six sides for 15 min each 270 Ltr (49"). 2. Weight – 1400-1600 kgs (BIS Declared weight) Weight tolerance Maximum +10 % & -5% 3. Specification of Cash Safe- BIS Marked IS-550:Part-1:2022 with IS-17566 4. Safe should have automatic relocking device behind both the locks. 5. Safe must with 3 Self and 2 Drawers. 6. Multi-directional heavy locking bolts. 7. Painted inside/outside, 70" coating, grey colour.		
3	49" SAFE Class "A"	1. TORCH & TOOL RESISTENCE (TRTL 30 X 6) SAFE CAPACITY 270 LTRS. (49") 2. Weight - 1600 kgs (BIS Declared weight) Weight tolerance Maximum +10 % & -5% 3. Specification of Cash Safe- BIS Marked IS-550:Part-1:2022 with IS-17566 4. Safe should have automatic relocking device behind both the locks. 5. Safe must with 3 Self and 2 Drawers. 6. Multi-directional heavy locking bolts. 7. Painted inside/outside, 70" coating, grey colour.		



4	49" SAFE Class "AA"	1. TORCH & TOOL RESISTENCE (TRTL 60 X 6) SAFE CAPACITY 270 LTRS. (49") 2. Weight - 1800 kgs (BIS Declared weight) Weight tolerance Maximum +10 % & -5% 3. Specification of Cash Safe- BIS Marked IS-550:Part-1:2022 with IS-17566 4. Safe should have automatic relocking device behind both the locks. 5. Safe must with 3 Self and 2 Drawers. 6. Multi-directional heavy locking bolts. 7. Painted inside/outside, 70" coating, grey colour.		
5	49" SAFE Class "AAA"	1. TORCH & TOOL RESISTENCE (TRTL 120 X 6) SAFE CAPACITY 270 Ltr (49") 2. Weight - 2400 kgs (BIS Declared weight) Weight tolerance Maximum +10 % & -5% 3. Specification of Cash Safe- BIS Marked IS-550:Part-1:2022 with IS-17566 4. Safe should have automatic relocking device behind both the locks. 5. Safe must with 3 Self and 2 Drawers. 6. Multi-directional heavy locking bolts. 7. Painted inside/outside, 70 " coating, grey colour.		
6	GOLD SAFE – A CLASS 06 DRAWER TO 16 DRWER Standards: IS 550 + IS 17566	GOLD SAFE – A CLASS 06 TO 16 DRAWER Standards: IS 550 + IS 17566 Burglary Rating: TRTL-30×6 (Torch & Tool Resistant – 30 min on 6 sides) Body: Composite steel + special alloys + high-resistant concrete Body Thickness: ~3.5 inches Door: Reinforced composite, ~3.5–5 inches thick Boltwork: 3-way heavy boltwork + passive deadbolts Relocker: Glass relocker (anti-attack trigger) Locking System (IS 17566): Grade A4 Lever Key Lock Optional: Mechanical combination lock / Electronic lock Drawers: 06 to 16 ,high-security jewellery drawers (steel, powder-coated) Finish: 70-micron paint, grey Certification: BIS Marked + NABL Type Test Weight: 1600 kg Internal Capacity: 270 litres		
7	GOLD SAFE – AA CLASS – 06 to 16 DRAWERS IS: 550 • IS: 17566	GOLD SAFE – AA CLASS 06 TO 16 DRAWERS IS: 550 • IS: 17566 • TRTL-60×6 (Torch & Tool Resistant – 60 min on 6 sides) Dimensions: 49"H × 30"W × 27"D (approx.) Construction: • TRTL-60×6 multi-layered composite body (steel + alloys + special barrier)		



		• Door thickness 5"–6", reinforced with alloy grid • 3–4 way boltwork, 1.5" hardened steel bolts • - Glass relocker protection Locking: • Grade A4 lever lock (IS 17566) • Additional UL Group 1 / 1R combination lock • Optional electronic lock, time lock Interior: • 06 to 16 steel jewellery/gold drawers • Powder-coated, smooth sliding • Anti-fish / anti-pry construction Finish: • 70-micron coating, grey Weight: • 1800 kg - Capacity(Approx) : • 270 (depending on drawer configuration) Certification: • BIS recommended • TRTL-60×6 rating verified • NABL-compliant testing as per IS 550 & IS 17566		
8	GOLD SAFE – AAA CLASS – 06 to 16 DRAWER IS: 550 • IS: 17566	GOLD SAFE – AAA CLASS 06 TO 16 DRAWER IS: 550 • IS: 17566 • TRTL-90×6 (Torch/Tool Resistant – 90 min on 6 sides) Dimensions: 49" × 30" × 27" (approx.) Construction: • Multi-layer composite body (steel + alloy + ceramic composite) • 6"–7" thick reinforced composite door • Special alloy anti-penetration grid • TRTL-90×6 barrier cast to withstand 90 min continuous attack Drawer System: • 12 powder-coated steel jewellery drawers • Anti-pry & anti-fish design • Ball-bearing slides Bolt work: • 4-way bolt work with 1.5" hardened steel bolts • Fixed hinge-side deadbolts • Reinforced bolt chambers Locking (IS 17566): • Grade A4 lever lock (primary) • UL Group 1/1R combination lock (secondary) • Optional electronic lock / time lock Relocking: • Multiple glass plate rockers • Thermal & anti-explosive re-locker system Finish: • 70-micron coated surface, corrosion-resistant Weight: • 2400 kg Internal Capacity: • 270 litres (06 to 16-drawer configuration) Certification: • BIS (IS 550) Compliant • Locks as per IS 17566 • TRTL-90×6 rating (based on extended TRTL-60×6 certified specs)		



	ABOVE ITEMS	<u>Shooting Bolts Arrangement of Safes :-</u> For better against brutal attack on the safe, "There should be minimum 4 shooting bolts on opposite of the hinges. The bolts should slide smoothly when the handle is turned. Single bolt of equivalent shear area of sliding/fixed nature is also permissible, subject to a minimum two-thirds height of engagement in the body. In addition, for enhanced security, two each shooting bolts should be provided on top and bottom on the safe door.		xx
	(Valid BIS Testing Certificate and license of the products is mandatory.)			



CASH AND GOLD SAFE Financial BID

SI No.	CASH SAFE Item	Basic Price ₹	GST @_____% ₹	Unit Price (Inclusive of All Taxes) ₹
1	B class (TRTL 10*5)-safe having torch and tool resisting capacity on Five sides for 10 min each			
2	BB class (TRTL 15*6)-safe having torch and tool resisting capacity on all six sides for 15 min each			
3	CASH SAFE A CLASS 49" IS: 550 WITH IS: 17566 TRTL 30 X 6			
4	CASH SAFE AA CLASS 49" IS: 550 WITH IS: 17566 TRTL 60 X 6			
5	CASH SAFE AAA CLASS 49" IS: 550 WITH IS: 17566 TRTL 90 X 6			
6	GOLD SAFE A CLASS IS: 550 WITH IS: 17566 TRTL 30 X 6			
	6 DRAWER			
	10 DRAWER			
	12 DRAWER			
	16 DRAWER			



7	GOLD SAFE AA CLASS IS: 550 WITH IS: 17566 TRTL 60 X 6			
	6 DRAWER			
	10 DRAWER			
	12 DRAWER			
	16 DRAWER			
8	GOLD SAFE AAA CLASS IS: 550 WITH IS: 17566 TRTL 90 X 6			
	6 DRAWER			
	10 DRAWER			
	12 DRAWER			
	16 DRAWER			

Note:

1. The specifications are given in Annexure - III.
2. The prices should be inclusive of all. i.e. F.O.R. destination (any of our office in the state of CG) all taxes, installation, loading unloading etc.

(Seal & Signature of authorized Signatory)



FRFC TECHNICAL SPECIFICATION

SI No	Item	Specification	Compliance Yes/No	Mention make & model
1	FRFC (Fire Resistant & Filing Cabinet) 2 hours Resistant with 4 drawers	1. Dimension and specification as per IS 14561:2014 with IS: 17566 2. Internal Usable space of each Drawer should be minimum 260h x370wx650d (In mm) 3. Weight 400 Kgs or Above. 4. Outer and inner body of FRFC must be minimum of 1 mm thickness steel as per BIS. 5. Over all thickness of the drawer must be minimum 0.75mm		
(Valid BIS Testing Certificate and License of the Products is Mandatory)				



Financial BID

SI No.	Security Item	Basic Price ₹	GST 18% ₹	Unit Price (Inclusive of All Taxes) ₹
1.	FRFC (Fire Resistant & Filing Cabinet) 2hours Resistant with 4 drawers			

Note:

1. The specifications are given in Annexure - V.
2. The prices should be inclusive of all. i.e. F.O.R. destination (any of our office in the state of CG) all taxes, installation, loading unloading etc.

(Seal & Signature of authorized Signatory)



STRONG ROOM DOOR TECHNICAL SPECIFICATION

SI No	Product	Qty	Compliance Yes / No
1.	Supply & Installation of Strong Room Door (Class 'B' with Grill Gate & Air Ventilator. BIS IS:11188, Part-1: 2021 with IS:17566 FR30,TRTL30)	01	

(Valid BIS Testing Certificate and License of the Products is Mandatory)



Financial BID

SI No.	Security Item	Make and Model	Basic Price ₹	GST 18% ₹	Unit Price (Inclusive of All Taxes) ₹
1.	Supply & Installation of Strong Room Door (Class 'B' with Grill Gate & Air Ventilator. BIS IS:11188, Part-1: 2021 with IS:17566 FR30,TRTL30)				

Note:

1. The specifications are given in Annexure - VII.
2. The prices should be inclusive of all. i.e. F.O.R. destination (any of our office in the state of CG) all taxes, installation, loading unloading etc.

(Seal & Signature of authorized Signatory)

SAFE DEPOSIT LOCKERS TECHNICAL SPECIFICATION

SI No	Product	Qty	Compliance Yes / No
1.	Supply & Installation of Safe Deposit Locker Cabinet having 90 A-type lockers (IS :5244: 2020 with IS: 17566)	01	

SI No	Product	Qty	Compliance Yes / No
2.	Supply & Installation of Safe Deposit Locker Cabinet having 75 Lockers (IS :5244: 2020 with IS: 17566) (Consisting of 66A+6C+3F)	01	

(Valid BIS Testing Certificate and License of the Products is Mandatory)



Financial BID

SI No.	Security Item	Make and Model	Basic Price ₹	GST 18% ₹	Unit Price (Inclusive of All Taxes) ₹
1.	Supply & Installation of Safe Deposit Locker Cabinet having 90 A type lockers (IS :5244: 2020 with IS: 17566)				

SI No.	Security Item	Make and Model	Basic Price ₹	GST 18% ₹	Unit Price (Inclusive of All Taxes) ₹
2.	Supply & Installation of Safe Deposit Locker Cabinet having 75 Lockers (IS :5244: 2020 with IS: 17566) (Consisting of 66A+6C+3F)				

Note:

1. The specifications are given in Annexure - IX.
2. The prices should be inclusive of all. i.e. F.O.R. destination (any of our office in the state of CG) all taxes, installation, loading unloading etc.

(Seal & Signature of authorized Signatory)



SAFE WITH SAFE DEPOSIT LOCKERS (SSDL-56) TECHNICAL SPECIFICATION

SI No	Product	Qty	Compliance Yes / No
1.	Supply & Installation of Safe with Safe Deposit Locker Cabinet having 56 A-type lockers (BIS: 17566-certified key locks)	01	

(Valid BIS Testing Certificate and License of the Products is Mandatory)



Financial BID

SI No.	Security Item	Make and Model	Basic Price ₹	GST 18% ₹	Unit Price (Inclusive of All Taxes) ₹
1.	Supply & Installation of Safe with Safe Deposit Locker Cabinet having 56 A-type lockers (BIS: 17566-certified key locks)				

Note:

3. The specifications are given in Annexure - XI.
4. The prices should be inclusive of all. i.e. F.O.R. destination (any of our office in the state of CG) all taxes, installation, loading unloading etc.

(Seal & Signature of authorized Signatory)



COMPECTOR TECHNICAL SPECIFICATION

SI No	Product	Qty	Compliance Yes / No
1.	1. Body is made of prime quality CR sheet of 0.8 mm thick materials confirms to IS 513D weldless multiples bends body with complete knock down & inbuilt in front panel. 2. Shelves : Construction It shall be made prime quality CR sheet of 1 mm & material conforms to IS 513D conforming to adequate safety standards of Govt or DD. Shelves shall have 10 bends & its max load bearing capacity for 2 Bay 50 Kg . 3 Bay uniformly distributed per shelf . Shelves shall be mounted on support brackets & shelf level shall be adjustable at approx. 25.4 pitches. Each body is with 5 compartments with 4 adjustable shelves . Shelves are in 10 fold for better strength & better load bearing capacity . UDL of each shelf is 60-70 kg . 3. Rubber/Pvc Stud: protective rubber/pvc stud must to provided in between bodies to avoid any chance of damages and minimize noise emission and prevent scratches during movement of respective bays. 4. Base Frame The Base frames is to be fabricated in C channel from HR sheet confirming to IS 2062/IS 1079, have to provide sheet thickness in 2 bay model HR 16G and 3 bay model – HR-10G. 5. Guide Rail The guide rails is made 32x16 mm bright flat housed in a C channel made of 2mm thick HR sheet (confirming to IS 2062/IS1079) it has flanges on either side with ball bearing for free movement of compactor bodies. 6. Powder-coated body with shelves CR 0.8 mm, No of shelves per body – 04(compartment -05) Powder coated Base frames in HR -16G (2 Bay Model) Powder coated Track Channels in HR-1 No of MS wheels in each movable base frames= 04 nos (2 Bay model) C-formed track channel welded with bright flat of 32x16mm, Centralized locking arrangement , PP handle for easy driving chain& sprocket arrangement for driving the units.	01	

(Valid BIS Testing Certificate and License of the Products is Mandatory)



Financial BID

SI No.	Security Item	Make and Model	Basic Price ₹	GST 18% ₹	Unit Price (Inclusive of All Taxes) ₹
1.	Compactor Storage System Type: Manual / Mechanical 4 Bays(1 Bay Deep) , body size w915xd457xh 1980mm Aisle walk way 760mm 1 Row Single Face Static W1830 d 457 H 130/2080(mm) 1 Row Double Faced Movable W1830 d 914 H 2130/2080(mm)				
2	Compactor Storage System Type: Manual / Mechanical 8 Bays(2 Bays Deep) , body size w 915xd457xh 1980mm Aisle walk way 760mm 1 Row Single Face Static W1830 d 457 H 2130/2080(mm) 1 Row Double Faced Movable W1830 d 914 H 2130/2080(mm)				
3	Compactor Storage System Type: Manual / Mechanical 12 Bays(3 Bays Deep) , body size w 915xd457xh 1980mm Aisle walk way 760mm 1 Row Single Face Static W1830 d 457 H 2130/2080(mm) 1 Row Double Faced Movable W1830 d 914 H 2130/2080(mm)				

Note:

5. The specifications are given in Annexure - XIII
6. The prices should be inclusive of all. i.e. F.O.R. destination (any of our office in the state of CG) all taxes, installation, loading unloading etc.

(Seal & Signature of authorized Signatory)



Annexure - XV

(On Company/Firm Letter Head)

UNDERTAKING OF NON BLACKLISTING

We hereby irrevocably undertake that our firm or company or associate or sister concerns is/are not blacklisted by any of the Government Departments / RBI / Public Sector Banks / Private Bank during the last three years as on the date of submission of this application.

(Authorized Signatory)

Name:

Designation:

Seal & Signature of Bidder

